

# Always Here, CAMSlim Always Guard Your Home

SONOFF CAM Slim Smart Home Security Camera



CAM SUM Science





1080P HD

Remote Viewing

Two-Way Audio

RTSP Setting









Motion Detection Event Recording



Motion Alarm in Specific Periods








Various Installation Methods

## **Never Miss a Moment**








1080P HD


Know What's Happening Anytime, Anywhere


Reveal Details Even in the Dark

## Respond to Anyone, Anywhere

Higher call quality lets you chat with pets, family, visitors by the built-in speaker and microphone.








## **Motion Alarm in Specific Periods**


Set the effective period of the alarm to reduce unnecessary alarms during low peak periods.



# View Monitoring Screen on PC

RTSP protocol allows you to view the monitoring screen on your PC.






## Scene Linkage with SONOFF Device

#### **Protect Your Garage From Thieves**

Alarm when the garage door opens to scare away thieves.






#### A Surprise Plan

Turn on the light when the protagonist is detected, and start recording the commemorative moment at the same time.





## **More Storage Choices**






### **Local Storage**

Micro SD card storage (maximum support 256G)



### **Cloud Storage**


- Mass storage space
- 30-day of cloud video storage
- Highly encrypted ensure privacy
- 30-day free trial



<sup>\*</sup> Cloud Storage is only available for the members of the Camera Plan subscription.

# Combine SONOFF Device For a Safer Home

The plug S26 has bound the camera, when receives the notification such as S26 is turned on, click on the S26 to see what happened.





Type E/F (DE/IT/...)



Type I (AU/NZ/...)




Type A/B (US/CA/...)



Type G (UK/IE/...)

## **Quick Start**







Download the eWeLink app



Open APP click "Sound Pairing" add CAM Slim



## Specification



Color

White

Video Compression Standard

H.264

Input

5V==1A

Wi-Fi

IEEE 802.11 b/g/n 2.4GHz

Resolution

1080P

Working Temperature

-10°C~40°C

Lens Aperture

F2.3

Wide Angle Lens

130°